

resilience under a changing environment?

How can forest management contribute to the climate change mitigation function of forests by strengthening and sustaining their carbon sink potential?

How can forest utilisation be optimised towards a low source of carbon emission?





Knowledge transfer - transnational cooperation - inter-sectoral exchange - capacity building Supported by EU Marie Skłodowska-Curie Research and Innovation Staff Exchange.

The role of forests and forestry in the global carbon cycle

Forest ecosystems are important components of the global carbon cycle. Four billion hectares of forest ecosystems (about 30 per cent of the global land area) store large reservoirs of carbon, together holding more than double the amount of carbon in the atmosphere. Each year they remove nearly 3 billion tons of anthropogenic carbon through net growth, absorbing about 30 per cent of all CO, emissions from fossil fuel burning and net deforestation.

Meanwhile, climate change triggers changes in growth dynamics and poses more frequent and severe hazards to forests. Adapting forest management to the challenge of climate change first requires the evaluation of its possible impact in the medium to long term. From this knowledge, measures to reduce these impacts can be developed. Forest management also includes forest utilisation for providing timber to society. Here, forestry acts as a carbon emitter.

The CARE4C ambition

In a changing climate, we see the challenge that forestry needs to contribute to a lowcarbon emitting society. Our ambition is to learn how to improve carbon sinks and sources of forests and forestry. We strive to develop carbon smart forest management for different forest types and climates to adapt to and mitigate climate change. We promote capacity building for climate-smart forest management.

Strategy of CARE4C

Our consortium comprises highly experienced academic and non-academic partners covering different forest disciplines and complementary methods from five European countries and South Africa. We utilise transect studies to benefit from our complementary methods. This enables a more comprehensive and transferable understanding of how the carbon cycle in forests is mediated by

climate change and forest management. Networking activities and secondments support knowledge transfer. The combined involvement of experienced researchers and early-stage researchers guarantees high-quality research and profound capacity building.

Topics of CARE4C

Acclimation of tree species to

We aim to identify the physiological adjustments of Scots pine (Pinus sylvestris) to extreme drought events, exploring the variability of wood anatomy and water use efficiency patterns along tree-ring chronologies. Preliminary results suggest a higher susceptibility to climate change for pines in monospecific forests compared to mixed forests at different site conditions. Applying higher-resolution approaches of carbon isotope analysis and quantitative wood anatomy will provide a better understanding and interesting insights on the ability of trees to respond to climate change and extreme drought events. We repeat the study for Olea europaea subsp. africana in an Afromontane forest ecosystem that characterises a variety of habitats in the Cape Region, from stream banks to woodland. It is considered a key species in the ecology of such habitats.

Enhancing productivity and tree resilience by species mixing

We analyse different tree species mixtures in terms of productivity and resilience to drought. Comparing monospecific and mixed stands of Norway spruce (Picea abies) and Scots pine (Pinus sylvestris) revealed that mixing those species only slightly increased productivity (2 per cent). The effect varies strongly across different site conditions (Ruiz-Peinado et al., 2021).

On average, we found that mixedspecies stands show higher resistance and resilience to drought events than monospecific stands (Pardos et al., 2021). However, there was a large variability in tree growth response to drought depending on the tree species identity, type of admixture and site conditions. The positive effect of species mixing on resilience was greater for coniferbroadleaved than for other types of mixtures, indicating the importance of species traits complementary in mixed stands to cope with climate change.

In Mediterranean mixed pinewoods (Pinus pinaster-Pinus pinea) the resistance to drought events is lower for P. pinaster but greater for P. pinea than in respective monospecific stands. In the long term, the sensitivity of P. pinaster to the climate was reduced in mixed stands, highlighting the complexity of the interaction between inter-specific competition and climate effects on tree growth (Vergarechea et al., 2021). Overall, the results suggest that mixing species can mitigate climate change impacts by between species temporal niche complementarity (del Río et al., 2021).

The effect of forest management on tree and stand growth and resilience

Based on long-term dendrometer recordings, we could detect the potential of silvicultural modification of stand density through thinning in reducing water stress for Aleppo pine (Pinus halepensis) stands. A similar trial set-up was established and equipped in different pine plantations in South Africa to analyse the effect of varying thinning types on the productivity and resilience of trees and stands. We analyse growth dynamics and growth stability in managed structurally

"The measurement time at BNP was an excellent opportunity to get a unique insight into structural diversity of the Białowieża Forest and to get in touch with staff members of BNP. We believe that this is a good start for further collaborations between TUM and BPN."

Andreas Rais, TUM.

www.europeandissemination.eu www.europeandissemination.eu diverse mixed forests across Europe and South Africa utilising long-term records of tree growth. Results will deliver valuable information about forest dynamics supporting forest managers in carbonsmart forestry.

Diversification of landscape management

A growing number of studies have identified diversification of forestry activities as a powerful means for risk management. Product diversification bears an underutilised potential in commercially oriented forest sectors, such as in South African forestry. Here a landscape view would provide new opportunities. We developed a landuse portfolio model applied to different types of avocado, eucalyptus and pine plantations in South Africa. It revealed the benefit of optimally diversified landscape compositions in terms of reconciling carbon sequestration with economic return, while minimising trade-offs among objectives

Carbon emission in forestry

Active forest management requires forest harvesting systems applicable but not all coincide with an efficient performance

for an accurate and replicable assessment of fuel consumption in forest operations. The research activity focused on the acquisition of data via the CAN-BUS network on the fuel consumption and other operating parameters of the machines. Preliminary results in the application of the protocol show that in the process of wood chips production, the logistics and organisation of transport is essential to control emissions per unit, particularly in remote forests located in mountain areas.

The use of hybrid diesel-electric machines that recover energy during work is advantageous in reducing emissions per production unit. A hybrid diesel-electric cable crane was tested to verify the practicability of this technology in real conditions. The recovery of energy from the system significantly reduced fuel consumption and consequently carbon

Dissemination

CARE4C participated in the scientific conference "Forests in Science, Practice and Education" on the occasion of the operations. There are plenty of wood centenary of the Faculty of Forestry, Warsaw University of Life Sciences, in June 2019. We will deliver a session in terms of emissions per unit produced. at Forstwissenschaftliche Tagung, the We set up a common protocol allowing main forest science event in Germany,

"We aimed at providing standardised protocols for characterising thinning prescriptions, designing thinning trials, and programming thinning algorithms. For forest managers, practitioners and modellers, these achievements have relevance, since they permit their direct application and testing."

Rafael Calama, INIA.

"The cross linking of activities during the secondment to FBZ turned out to be very valuable. This was considered especially important, as hereby operational skills were enhanced, which are crucial for CO₃ efficient operations."

Markus Rufener, FBB.

in September 2021. Organised by Stellenbosch University, South Africa, the conference "Managing for resilient forests in a variable future climate" occurs in March 2022 and is targeted at both scientists and practitioners.

Research activities within the frame of CARE4C have contributed to 24 scientific publications thus far, covering the various aspects of carbon smart forestry (see www.care4c.eu).

Networking activities

Training and workshops

We particularly emphasise the training of young researchers and offer courses and skill promotion utilising partner organisations' specific and inter-sectoral expertise.

Implemented

- Airborne LiDAR and drone technology for forest inventory and management
- · Models used in forestry for upscaling
- Silvicultural concepts across diverse climate zones and their implications for stand structure and dynamics
- Efficient use of forestry machines using the innovative simulator TIMBERSKILLS.

Forthcoming

- Forest eco-physiology and its linkage to wood characteristics and dendrochronology
- Methods for multi-criteria forest management optimisation on landscape scale, including carbon balance.

Secondments

The MSCA RISE funding schemes aims at exchanging research and innovation staff between countries and sectors. Up to now, CARE4C has seconded 49 staff members comprising 29 experienced researchers, 18 early-stage researchers and two technical staff members. All secondments sum up to a total duration of 65 months (Figure 1).

"The secondment to TUM in Freising, Germany was a unique type of travel for me as an experienced researcher. I had this opportunity to make new connections to the people who share my concerns about science and research interest. The new academic experience was an emerging environment for me and is surely essential for any researcher to be able to expand support and knowledge in their area of science."

Zahra Mahani, SU




Figure 1: Consortium partners and implemented secondment activities.



Click here for references/publications



PROJECT SUMMARY

forest operations. Our ambition is to achieve an

PROJECT LEAD

Prof. Dr Hans Pretzsch heads the Chair of Forest one occasion and has published more than 300

PROJECT PARTNERS

CONTACT DETAILS

Enno Uhl (Coordinator)

******* +49 (0) 8161 71 4712







www.europeandissemination.eu www.europeandissemination.eu

Carbon smart forestry under climate change

CARE4C references and publications

Aldea, J., Ruiz-Peinado, R., del Rio, M., Pretzsch, H., Heym, M., Brazaitis, G., Jansons, A., Metslaid, M., Bareito, I., Bielak, K., Granhus, A., Holm, S.O., Nothdurft, A., Sitko, R. and Löf, M. (2021) 'Species stratification and weather conditions drive tree growth in Scots pine and Norway spruce mixed stands along Europe', *Forest Ecology and Management*, 481, p.12. doi. 10.1016/j. foreco.2020.118697.

Brzeziecki, B., Drozdowski, S., Bielak, K., Czacharowski, M., Zajączkowski, J., Buraczyk, W. and Gawron, L. (2021) 'A demographic equilibrium approach to stocking control in mixed, multiaged stands in Bielowieża Forest, northeast Poland', *Forest Ecology and Management*, 481, 118694. doi: 10.1016/j. foreco.2020.118694.

Cadei, A., Mologni, O., Röser, D., Cavalli, R. and Grigolato, S. (2020) 'Forwarder Productivity in Salvage Logging Operations in Difficult Terrain', Forests, 11(3), p.341. doi: 10.3390/f11030341.

Condés, S., Sterba, H., Aguirre, A., Bielak, K., Bravo-Oviedo, A., Coll, L., Pach, M., Pretzsch, H., Vallet, P. and del Río, M. (2018) 'Estimation and Uncertainty of the Mixing Effects on Scots Pine—European Beech Productivity from National Forest Inventories Data', *Forests*, 9(9), p.518, doi: 10.3390/f9090518

Heym, M., Bielak, K., Wellhausen, K., Uhl, E., Biber, P., Perkins, D., Steckel, M., Thurm, E. A., Rais, A. and Pretzsch, H. (2018) 'A New Method to Reconstruct Recent Tree and Stand Attributes of Temporary Research Plots: New Opportunity to Analyse Mixed Forest Stands', *Conifers*. doi: 10.5772/intechopen.79682.

Hilmers, T., Avdagić, A., Bartkowicz, L., Bielak, K., Binder, F., Bončina, A., Dobor, L., Forrester, D. I., Hobi, M. L., Ibrahimspahić, A., Jaworski, A., Klopčič, M., Matović, B., Nagel, T. A., Petráš, R., del Rio, M., Stajić, B., Uhl, E., Zlatanov, T., Tognetti, R. and Pretzsch, H. (2019) 'The productivity of mixed mountain forests comprised of Fagus sylvatica, Picea abies, and Abies alba across Europe' Forestry: An International Journal of Forest Research, 92(5), pp.512–522. doi: 10.1093/forestry/cpz035.

Hilmers, T., Biber, B. Knoke, T. and Pretzsch, H. (2020) 'Assessing transformation scenarios from pure Norway spruce to mixed unevenaged forests in mountain areas', *European Journal of Forest Research*, 139(4) pp.567–584. doi: 10.1007/s10342-020-01270-y.

Lundqvist, S.-O., Seifert, S., Grahn, T., Olsson, L., Garcia-Gil, M. R., Karlsson, B. and Seifert, T. (2018) 'Age and weather effects on between and within ring variations of number, width and coarseness of tracheids and radial growth of young Norway spruce', *European Journal of Forest Research*, 137, pp.719–743. doi: 10.1007/s10342-018-1136-x.

Pardos, M., del Río, M., Pretzsch, H., Jactel, H., Bielak, K., Bravo, F., Brazaitis, G., Defossez, E., Engel, M., Godvod, K., Jacobs, K., Jansone, L., Jansons, A., Morin, X., Nothdurft, A., Oreti, L., Ponette, Q., Pach, M., Riofrío, J., Ruíz-Peinado, R., Tomao, A., Uhl, E. and Calama, E. (2021) 'The greater resilience of mixed forests to drought mainly depends on their composition: Analysis along a climate gradient across Europe', *Forest Ecology and Management*, 481, 118687. doi: 10.1016/j.foreco.2020.118687.

Perkins, D., Uhl, E., Biber, P., du Toit, B., Carraro, C., Rötzer, T. and Pretzsch, H. (2018) 'Impact of Climate Trends and Drought Events on the Growth of Oaks (Quercus robur L. and Quercus petraea (Matt.) Liebl.) within and beyond their Natural Range', *Forests*, 9(3), p.108, doi: 10.3390/f9030108.

Pretzsch, H. (2020) 'Density and growth of forest stands revisited. Effect of the temporal scale of observation, site quality, and thinning', *Forest Ecology and Management*, 460(15), 117879. doi: 10.1016/j.foreco.2020.117879.

Pretzsch, H. (2021) 'The social drift of trees. Consequence for growth trend detection, stand dynamics, and silviculture', *European Journal of Forest Research*, 140, pp. 703–719. doi: 10.1007/s10342-020-01351-y.

Pretzsch, H. (2021) 'Tree growth as affected by stem and crown structure', *Trees*, 35, pp.947–960. doi: 10.1007/s00468-021-02092-0.

Pretzsch, H. (2021) 'Trees grow modulated by the ecological memory of their past growth. Consequences for monitoring, modelling, and silvicultural treatment', *Forest Ecology and Management*, 487, 118982. doi: 10.1016/j. foreco.2021.118982.

Pretzsch, H., del Río, M., Biber, P., Arcangeli, C., Bielak, K., Brang, P., Dudzinska, M., Forrester, D. I., Klädtke, J., Kohnle, U., Ledermann, T., Matthews, R., Nagel, J., Nagel, R., Nilsson, U., Ningre, F., Nord-Larsen, T., Wernsdörfer, H. and Sycheva, E. (2019) 'Maintenance of long-term experiments for unique insights into forest growth dynamics and trends: review and perspectives', *European Journal of Forest Research*, 138(1), pp.165–185. doi: 10.1007/s10342-018-1151-y.

Pretzsch, H., Hilmers, T., Biber, P., Avdagić, A., Binder, F., Bončina, A., Bosela, M., Dobor, L., Forrester, D. I., Lévesque, M., Ibrahimspahić, A., Nagel, T. A., del Río, M., Sitkova, Z., Schütze, G., Stajić, B., Stojanović, D., Uhl, E., Zlatanov, T. and Tognetti, R. (2020) 'Evidence of elevation-specific growth changes of spruce, fir, and beech in European mixed mountain forests during the last three centuries', *Canadian Journal of Forest Research*, 50(7), pp.689–703. doi: 10.1139/cjfr-2019-0368.

Pretzsch, H., Hilmers, T., Uhl, E., Bielak, K., Bosela, M., del Rio, M., Dobor, L., Forrester, D. I., Nagel, T. A., Pach, M., Avdagić, A., Bellan, M., Binder, F., Bončina, A., Bravo, F., de-Dios-García, F., Dinca, L., Drozdowski, S., Giammarchi, F., Hoehn, M., Ibrahimspahić, A., Jaworski, A., Klopčič, M., Kurylyak, V., Lévesque, M., Lombardi, F., Matović, B., Ordóñez, C., Petráš, R., Rubio-Cuadrado, A., Stojanovic, D., Skrzyszewski, J., Stajić, B., Svoboda, M., Versace, S., Zlatanov, T. and Tognetti, R. (2020) 'European beech stem diameter grows better in mixed than in mono-specific stands at the edge of its distribution in mountain forests', *European Journal of Forest Research*, 140, pp.127–145. doi: 10.1007/s10342-020-01319-y.

Pretzsch, H., Poschenrieder, W. Uhl, E., Brazaitis, G., Makrickiene, E. and Calama, R. (2021) 'Silvicultural prescriptions for mixed-species forest stands. A European review and perspective', European *Journal of Forest Research*. doi: 10.1007/s10342-021-01388-7.

Pretzsch, H. and Schütze, G. (2021) 'Tree species mixing can increase stand productivity, density, and growth efficiency and attenuate the trade off between density and growth throughout the whole rotation', *Annals of Botany*, mcab077. doi: 10.1093/aob/mcab077.

Ruano Sastre, A. (2019) Analysis of methodologies to evaluate juvenile wood with regard to wood quality. Dissertation. Universidad de Córdoba. Available at: https://helvia.uco.es/bitstream/handle/10396/19031/2019000001974.pdf.

Ruiz-Peinado, R., Pretzsch, H., Löf, M., Heym, M., Bielak, K., Aldea, J., Barbeito, I., Brazaitis, G., Drössler, L., Godvod, K., Granhus, A., Holm, S-O., Jansons, A., Makrickienė, E., Metslaid, M., Metslaid, S., Nothdurft, A., Otto, D., Reventlow, J., Sitko, R., Stankevičienė, G. and Miren del Río (2021) 'Mixing effects on Scots pine (Pinus sylvestris L.) and Norway spruce (Picea abies (L.) Karst.) productivity along a climatic gradient across Europe', *Forest Ecology and Management*, 482, 118834, doi: 10.1016/j.foreco.2020.118834.

Seifert, E., Seifert, S., Vogt, H., Drew, D., van Aardt, J., Kunneke, A. and Seifert, T. (2019) 'Influence of Drone Altitude, Image Overlap, and Optical Sensor Resolution on Multi-View Reconstruction of Forest Images', *Remote Sensing*, 11(10), 1252. doi: 10.3390/rs11101252.

Steckel, M., del Río, M., Heym, M., Aldea, J., Bielak, K., Brazaitis, G., Černý, J., Coll, L., Collet, C., Ehbrecht, M., Jansons, A. Nothdurft, A., Pach, M., Pardos, M., Ponette, Q., Reventlow, D. O. J., Sitko, R., Svoboda, M., Vallet, P., Wolff, B. and Pretzsch, H. (2020) 'Species mixing reduces drought susceptibility of Scots pine (Pinus sylvestris L.) and oak (Quercus robur L., Quercus petraea (Matt.) Liebl.) – Site water supply and fertility modify the mixing effect', *Forest Ecology and Management*, 461(15), 117908. doi: 10.1016/j. foreco.2020.117908.